

Florida Building Code 8th Edition (2023) High Velocity Hurricane Zone Uniform Roofing Application for Miami-Dade County & Broward County

Submit Completed Form to: codes@ehs.ufl.edu

INSTRUCTION PAGE

COMPLETE THE NECESSARY SECTIONS OF THE UNIFORM ROOFING PERMIT APPLICATION FORM AND ATTACH THE REQUIRED DOCUMENTS BELOW:

Roof System	Required Sections of the Permit Application Form	Attachments Required See List Below
Low Slope Application	A,B,C	1,2,3,4,5,6,7
Asphaltic Shingles	A,B,D	1,2,4,5,6,7
Concrete or Clay Tile	A,B,D,E	1,2,3,4,5,6,7
Metal Roofs	A,B,D	1,2,3,4,5,6,7
Wood Shingles and Shakes	A,B,D	1,2,4,5,6,7
Other	As Applicable	1,2,3,4,5,6,7

ATTACHMENTS REQUIRED:

1.	Fire Directory Listing Page		
2.	From Product Approval:		
	Front Page		
	Specific System Description		
	Specific System Limitations		
	General Limitations		
	Applicable Detail Drawings		
3.	Design calculations per Chapter 16, or if applicable, RAS 127 or RAS 128		
4.	Other Component Product Approval		
5.	Municipal Permit Application		
6.	Owner's Notification for Roofing Considerations (Reroofing Only)		
7.	Any Required Roof Testing / Calculation Documentation		

Florida Building Code 8th Edition (2023)

High Velocity Hurricane Zone Uniform Roofing Application Form for Miami-Dade County

& Broward County Section A (General Information)

Permit Number:					
Contractor's Name: _					
Job Address:	ROOF CATEGORY Mechanically Fastened Tile				
		ROOF CATEGOR	RY		
☐ Low Slope	☐ Med	chanically Fastened Tile	☐ Mortar / A	dhesive Set	Tile
☐ Asphaltic Shingles	□ Met	al Panel/ Shingles	☐ Wood Shin	gles / Shake	S
		ROOF TYPE			
☐ New Roof	☐ Repair	☐ Maintenance	□ Rei	roofing	☐ Recovering
		ROOF SYSTEM INFORI	MATION		
Low Slope Roof Area	(ft²)	Steep Sloped Roof Ar	ea (ft²)	Т	otal (ft²)
		sections, roof drains, scupp	ers, overflow scupp		

Florida Building Code 8th Edition (2023)

High Velocity Hurricane Zone Uniform Roofing Application Form for Miami-Dade County & Broward County

Section C (Low Sloped Roof Systems)

manufacture (If a compone	ent is not used, id	Components and Identify lentify as "NA")
Product Appr		RAS 128 or Calculations:
		Zone 2:
Zone 3:		
approval syst Deck		e specific product
	::	_
Anchor/ Base	Sheet & No. of F	Ply(s):
Anchor/ Base	Sheet Fastener/	Bonding Material:
Insulation Ba	se Layer:	
Base Insulation	on Size and Thickr	ness:
Base Insulation	on Fastener/ Bond	ding Material:
Top Insulatio	n Layer:	
Top Insulation	n Size and Thickn	ess:
Top Insulation	n Fastener/Bondi	ng Material:
٠,	& No. of Ply(s): _ astener/ Bonding	
	nd No. of Ply(s): _ tener/ Bonding N	laterial:
Top Ply:		


Top Ply Fastener/ Bonding Material:				
Surfacing:				
Fastener Spacing for Anchor/Base Sheet Attachment:				
Zone 1' " oc @ Laps, # Rows @ " oc				
Zone 1 " oc @ Laps, # Rows @ " oc				
Zone 2" oc @ Laps # Rows @" oc				
Zone 3 oc @ Laps, # Rows @ oc				
Number of Fasteners Per Insulation Board				

Zone 1': _____ Zone 2: _____ Zone 3: ____

Illustrated Components Noted and Details as Applicable:

Woodblocking, Gutter, Edge Termination, Stripping, Flashing, Continuous Cleat, Cant Strip, Base Flashing, Counterflashing, Coping, Etc.

<u>Indicate:</u> Mean Roof Height, Parapet Height, Height Base Flashing, Component Material, Material Thickness, Fastener Type, Fastener Spacing or Submit Manufactures Details that Comply with RAS 111 and Chapter 16.



Florida Building Code 8th Edition (2023)

High Velocity Hurricane Zone Uniform Roofing Application Form for Miami-Dade County & Broward County

Section D (Steep	Sloped Roof Syste	<u>em)</u>			
Roof System Ma	nufacturer:				
Product Control	Number:				
Minimum Desig	n Wind Pressures, F	rom Applicab	ole RAS 127 Tab	e or Calculations:	
Zone1:	Zone 2e:	Zone2n:	Zone 2r:	Zone 3e:	Zone 3r:
9	Slope Range: O≥ 2	:12 to ≤ 4:12	O> 4:12 to s	6:12 O > 6:12 to	0 ≤ 12:12
	Roof Shape:	O All Hip Ro	oof 🔘 Gable	Roof or Partial Gab	le/Hip Roof
	Deck Typ	e:			
Roof Slope:	Unde	erlayment Typ	e:		
: 1	2	Insulation:			
		Fire Ba	arrier:		
Ridge Ventilati	on?	F	astener Type &	Spacing:	
			Cap Sheet Ty	oe:	
Mean Roof Hei	ght:		Cap Sheet A	tachment:	
				Roof Covering:	
			Drip Ed	lge Type & Size:	

Florida Building Code 8th Edition (2023) High Velocity Hurricane Zone Uniform Roofing Application Form for Miami-Dade County & Broward County

Section E (Tile Calculations)

For Moment based tile systems, choose Method 1. Compare the values for M_r with the values from M_f . If the M_f values are greater than or equal to the M_r values for each area of the roof, then the tile attachment method is acceptable.

Method 1* " Moment Based Tile Calculations per RAS 127" Enter positive uplift pressures when using this table

(Zone 1:	x λ	_=) – Mg:	= Mr ₁	Product Approval Mf:
(Zone 2e:	_x \	_=) – Mg:	_= Mr _{2e}	_Product Approval Mf:
(Zone 2n:	_ x	_=	_) – Mg:	_= Mr _{2n}	_Product Approval Mf:
(Zone 2r:	_x	_=	_) – Mg:	_= Mr _{2r}	Product Approval Mf:
(Zone 3e:	_x \	=) – Mg:	_= Mr _{3e}	_Product Approval Mf:
(Zone 3r:	_x λ	_=	_) – Mg:	_ = Mr _{3r}	Product Approval Mf:

Tile attachment method:

Alternate Tile attachment method:

For Uplift Based tile systems use Method 3. Compare the values for F' with the values for Fr. If the F' values are greater than or equal to the Fr values for each area of the roof, then the tile attachment method is acceptable.

Method 3* "Uplift Based Tile Calculations per RAS 127"

(Zone 1:	x L =	x W =) – (w) x cos θ) = Fr ₁	Product Approval F':
(Zone 2e:	x L =	x W =) – (w) x cos θ) = Fr _{2e}	Product Approval F':
(Zone 2n:	x L =	x W =) – (w) x cos θ) = Fr _{2n}	Product Approval F':
(Zone 2r:	x L =	x W =) – (w) x cos θ) = Fr _{2r}	Product Approval F':
(Zone 3e:	x L =	x W =) – (w) x cos θ) = Fr _{3e}	Product Approval F':
(Zone 3r:	x L =	_ x W =	_) - (w) x cos θ	_) = Fr _{3r}	Product Approval F':

*Method 2 "Simplified Tile Calculations" only applicable in Broward County.

Where to obtain information				
Description	Symbol	Where to Find		
Design Pressure	Zones 1, 2e, 2n, 2r,3e, 3r	From the applicable Table in RAS- 127 or be an engineering analysis prepared by a PE based upon ASCE 7		
Mean Roof Height	Н	Job Site		
Roof Slope	θ	Job Site		
Aerodynamic Multiplier	λ	Product Approval / Notice of Acceptance		
Restoring Moment due to Gravity	M _g	Product Approval / Notice of Acceptance		
Attachment Resistance	M _f	Product Approval / Notice of Acceptance		
Required Moment Resistance	M _r	Calculated		
Minimum Attachment Resistance	F'	Product Approval / Notice of Acceptance		
Required Uplift Resistance	F _r	Calculated		
Average Tile Weight	w	Product Approval / Notice of Acceptance		
Tile Dimensions	L=Length W= Width	Product Approval / Notice of Acceptance		